

**NOTICE OF REFUSAL  
to issue an environmental compliance approval**  
REFERENCE NUMBER 9127-B2LQMK

Goodrich Aerospace Canada Ltd.  
1400 South Service Rd W  
Oakville, Ontario  
L6L 5Y7

Site Location: Goodrich Aerospace Canada  
1400 South Service Rd W  
Oakville Town, Regional Municipality of Halton  
L6L 5Y7

*In accordance with Section 139(1)(c) of the Environmental Protection Act, R.S.O. 1990, c. E. 19 (Environmental Protection Act), I hereby give notice that, under Section 20.3 of the Act, I have refused to issue an environmental compliance approval for your application for approval dated 2018/07/11, for approval of a stormwater management facility servicing Goodrich Aerospace Canada Ltd. located at 1400 South Service Road West, in the Town of Oakville, Ontario. The sewage works will include a dry pond designed to provide water quantity and quality control prior to discharging from the site to a swale that discharges to a corrugated steel pipe before flowing into the Fourteen Mile Creek.*

The reason(s) for this refusal is (are) as follows:

The proponent failed to submit proper design specifications that meet ministry's design standards for the stormwater management facility servicing the entire 7.42 ha drainage area of the site to ensure that adequate quantity and quality control measures are provided for the stormwater runoff from the site.

*In accordance with Section 139 of the Environmental Protection Act, you may by written Notice served upon me, the Environmental Review Tribunal and in accordance with Section 47 of the Environmental Bill of Rights, 1993, the Minister of the Environment, Conservation and Parks, within 15 days after receipt of this Notice, require a hearing by the Tribunal. The Minister of the Environment, Conservation and Parks will place notice of your appeal on the Environmental Registry. Section 142 of the Environmental Protection Act provides that the Notice requiring the hearing shall state:*

- a. The grounds on which you intend to rely at the hearing considering your appeal.

*The Notice should also include*

1. The name of the appellant;
2. The address of the appellant;
3. The application reference number;
4. The name of the Director;

*And the Notice should be signed and dated by the appellant.*

*This Notice must be served upon:*

The Secretary* Environmental Review Tribunal 655 Bay Street, Suite 1500 Toronto, Ontario M5G 1E5	AND	The Minister of the Environment, Conservation and Parks 777 Bay Street, 5th Floor Toronto, Ontario M7A 2J3	AND	The Director appointed for the purposes of Part II.1 of the Environmental Protection Act Ministry of the Environment, Conservation and Parks 135 St. Clair Avenue West, 1st Floor Toronto, Ontario M4V 1P5
--	-----	--	-----	--

**\* Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349, Fax: (416) 326-5370 or [www.ert.gov.on.ca](http://www.ert.gov.on.ca)**

*This instrument is subject to Section 38 of the Environmental Bill of Rights, 1993, that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek leave to appeal within 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry at [www.ebr.gov.on.ca](http://www.ebr.gov.on.ca), you can determine when the leave to appeal period ends.*

DATED AT TORONTO this 14th day of May,  
2019

Youssef Kalogo, P.Eng.  
Director  
appointed for the purposes of Part  
II.1 of the *Environmental Protection  
Act*

SH/  
c: District Manager, MOECC Halton-Peel  
Chris Scullion, Trinity Consultants Ontario Inc.